

START HERE






FILL RESERVOIR & CONNECT TO THE INFUSION SET TUBING


Follow the next steps to fill reservoir with insulin and connect to the infusion set tubing.




Remove from package. Make sure insulin vial is at room temperature to reduce the risk of air bubbles.



Pull plunger down to the amount that you plan to fill with insulin.




Wipe vial with alcohol. Place vial on table. Firmly press the blue transfer guard onto vial.



Next

Push and hold plunger down.

WARNING: If insulin or any liquid gets inside the tubing connector, it can temporarily block the vents that allow the pump to properly fill the infusion set. This may result in the delivery of too little or too much insulin, which could cause hyperglycemia or hypoglycemia.



With your thumb still on the plunger, flip over so vial is on top. Release thumb and pull plunger down to fill with insulin.



Tap the reservoir to move air bubbles to top of reservoir. Push plunger up to move air into vial.



If needed, pull plunger back down to amount of insulin needed for 2-3 days.



8

To avoid getting insulin on the top of the reservoir, turn vial over so it is upright. Hold transfer guard and turn reservoir counterclockwise and remove from transfer guard.


CONNECT RESERVOIR TO INFUSION SET

You will place the tubing connector onto the end of the infusion set to the filled reservoir.



5

Remove the infusion set from packaging by pulling down the red plastic tab.



5

Gently push the tubing connector onto reservoir. Turn clockwise until locked. You will hear a click.



6

Pull the paper tab to remove the sterile paper backing from the bottom.



If you see air bubbles, tap reservoir to move them to top. Push plunger just a bit to move them into tubing.



Squeeze the three raised markings on both sides of the lid. Lift and remove.



Twist the plunger counter-clockwise to loosen and remove.



Free tubing from slot. Gently unwind tubing in a counter clockwise direction.

THE BACKLIGHT MAY HAVE TURNED OFF

Press any button to turn the screen back on.



Press O to open the menu. If the pump is locked, you will need to unlock the pump after pressing O.

| Load Reservoir | |
|---------------------|------|
| Enter BG | 0 |
| Basal | |
| Audio Options | 8 |
| Status | Ë |
| Suspend Delivery | |
| Salact I and Reserv | voir |

from the menu.



PLACE RESERVOIR INTO PUMP

Now place the filled reservoir into the reservoir compartment of the pump.


| L | New Reservoir |
|---|---|
| | Place reservoir into pump and lock. |
| | DO NOT CONNECT TO BODY. |
| | Next |

Place reservoir into pump.





Turn clockwise until you feel reservoir lock into place.



Select Next.

LOAD RESERVOIR AND FILL TUBING


Follow these steps to load the reservoir and fill the tubing.



Select **Load** and keep holding **O**.



When you see this screen, select **Next**.



Select **Fill** and keep holding **O** until you see drops at the end of tubing, then let go.



After you see drops, press > and select **Next**.

INSERT INFUSION SET


4

7

Next, follow the steps to insert the infusion set into your body.

1

5





Gently peel paper to expose the adhesive.




Place the tubing in slot on side of serter.



CAUTION: Be careful not to pull the

tubing tightly when placing it in the slot.

Turn over and hold by the lined ridges on the sides.



With other hand pull up on the center handle until it clicks and locks into place.



Choose an insertion site from the shaded areas shown here. Wipe with alcohol or other antiseptic.



to remove it.

Carefully hold the needle

guard by tip. Gently turn

the needle guard and pull

Place against prepared site on body. To insert, press the round indentations on each side of serter to insert needle.



Push down on center of serter to press adhesive against skin.




To remove serter, hold the center handle and gently pull it straight out away from body. Press the adhesive securely against skin.



Place the lid back onto serter to safely discard needle.

FILL CANNULA

You will now fill the cannula, the little tube under your skin, with insulin.



Your infusion set change is now complete!