START HERE



Wash your hands. Stress O. Select **Options**.

Select **Reservoir & Tubing**.

Select New Reservoir.

Remove the infusion set you have been using by loosening the adhesive and pulling away from body.




Remove the used reservoir from the pump.

Select Rewind.

FILL RESERVOIR & CONNECT TO THE INFUSION SET TUBING

Follow the next steps to fill reservoir with insulin and connect to the infusion set tubing.



Remove from package. Make sure insulin vial is at room temperature to reduce the risk of air bubbles.

Pull plunger down to the amount that you plan to fill with insulin. Wipe vial with alcohol. Place vial on table. Firmly press the blue transfer quard onto vial.

Push and hold plunger down.

MINIMED® 670G SYSTEM CHANGING THE MINIMED® SILHOUETTE® INFUSION SET QUICK REFERENCE GUIDE


WARNING: If insulin or any liquid gets inside the tubing connector, it can temporarily block the vents that allow the pump to properly fill the infusion set. This may result in the delivery of too little or too much insulin, which could cause hyperglycemia or hypoglycemia.



With your thumb still on the plunger, flip over so vial is on top. Release thumb and pull plunger down to fill with insulin.



Tap the reservoir to move air bubbles to top of reservoir. Push plunger up to move air into vial.




If needed, pull plunger back down to amount of insulin needed for 2-3 days.



To avoid getting insulin on the top of the reservoir, turn vial over so it is upright. Hold transfer guard and turn reservoir counterclockwise and remove from transfer guard.

CONNECT RESERVOIR TO INFUSION SET

You will place the tubing connector onto the end of the infusion set to the filled reservoir.



Remove the infusion set from packaging.



Gently push the tubing connector onto reservoir.
Turn clockwise until locked.
You will hear a click.



If you see air bubbles, tap reservoir to move them to top. Push plunger just a bit to move them into tubing.



Twist the plunger counter-clockwise to loosen and remove.

THE BACKLIGHT MAY HAVE TURNED OFF

Press any button to turn the screen back on.



Press O to open the menu. If the pump is locked, you will need to unlock the pump after pressing O.



Select Load Reservoir from the menu

2



Select **Next**

PLACE RESERVOIR INTO PUMP

Now place the filled reservoir into the reservoir compartment of the pump.




Place reservoir into pump.





reservoir lock into place.



Turn clockwise until you feel Press the edges of the site connector. Select **Next**. With the other hand, pull the cap off.



LOAD RESERVOIR AND FILL TUBING


Follow these steps to load the reservoir and fill the tubing.



Select **Load** and keep holding O.



When you see this screen, select **Next**



Select Fill and keep holding O until you see drops at the end of tubing, then let go.




After you see drops, press > and select Next.



INSERT INFUSION SET (TWO METHODS)


Next, follow the steps to insert the infusion set into your body.






Choose an insertion site from the shaded areas shown here. Wipe with alcohol or other antiseptic.

METHOD 1: BY HAND




>



Hold the tape with your forefinger and remove the needle guard.



Pinch up skin at prepared site. Use other hand to insert needle at a 20-45 degree angle.



release the skin and hold

After it is inserted release the skin and hold inserted piece in place. **Now go to the REMOVE INTRODUCER NEEDLE section on page 5.**

METHOD 2: USING THE SERTER

Hold the insertion piece by

thumb and middle finger.

the gray needle handle using



Use thumb to press down on the Lock & Release handle of the serter.



Place the insertion piece inside serter and let go of the Lock & Release handle. The serter prongs should fit securely into the holes of the insertion piece.






Use thumb to slide the Lock & Release handle back until you hear a click.

METHOD 2: USING THE SERTER (CONT.)













Gently pull off needle guard.

Rest arms of serter against skin so that it is at a 20-45 degree angle.

Press the white button at the top of serter to insert the infusion set.







Hold infusion set against skin with one hand. With the other hand press the Lock & Release handle to open serter. Then, slide serter back from infusion set.

REMOVING INTRODUCER NEEDLE


Next, follow the steps to remove the introducer needle.











Peel paper from the front part of the adhesive and press adhesive securely to skin.

Squeeze arms on the gray needle handle and pull back to remove introducer needle.

DISPOSE NEEDLE INTO A SHARPS CONTAINER

3







4




Connect infusion set tubing by sliding the site connector into the insertion piece on your skin.

Peel rest of the paper without lifting infusion set too far from skin. Press adhesive securely to skin. Dispose needle into a sharps container.

FILL CANNULA

You will now fill the cannula, the little tube under your skin, with insulin.



Select Fill.



Select **Fill amount** and enter 0.700. Then press **O**.



NOTE: Your pump will remember the **Fill amount** that you used last. Always verify that the Fill amount is correct.

- If it is correct, press \vee to **Fill Now** and press \bigcirc .
- If it is incorrect, press O. Change to correct amount and press O. Select Fill Now.



Select Fill Now.



The Home screen displays the insulin as it fills the cannula.



NOTE: Select **Stop Filling** if you need to stop, for example, if you notice the **Total** amount is incorrect. This should rarely happen if you have verified the **Fill amount** on the previous screen.

Your infusion set change is now complete!